

PRINTER RUSH

(PTO ASSISTANCE)

Application : 08/475784

Examiner : Holleran

GAU : 1642

From : CA

Location : IDC FMF FDC

Date : 5/11/05

Tracking # : 06081682

Week Date : 2-28-05

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449		<input type="checkbox"/> Continuing Data
<input checked="" type="checkbox"/> IDS	<u>5/5/97</u>	<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM		<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW		<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW		<input type="checkbox"/> Other
<input checked="" type="checkbox"/> DRW		
<input type="checkbox"/> OATH		
<input type="checkbox"/> 312		
<input checked="" type="checkbox"/> SPEC		

[RUSH] MESSAGE: ① please initial line through citation dated 5/5/97

② Also Drawings and the specification are missing from Ltr

Please Rescan
Thank You
(2)

[XRUSH] RESPONSE:

① Initialed citations dated 5/5/97

② Contacted Scanning Support by email and they reactivated Drawings & Specification. These should now be available.

INITIALS: ARH

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.

REV 10/04

Holleran, Anne

From: Scanning Customer Support
Sent: Friday, June 03, 2005 6:11 PM
To: Holleran, Anne
Cc: Scanning Customer Support; Talbott, Dave
Subject: RE: 08475784 - Closed

The SPEC, CLM, ABST & DRW of 6/07/95 were under the closed tab and have been reopened. Images are available now.

Thank you,

TK
Customer Support Team

-----Original Message-----

From: Holleran, Anne
Sent: Friday, June 03, 2005 4:32 PM
To: Scanning Customer Support
Subject: 08/475,784

This case appears to be missing the originally filed drawings and also is missing the specification. Please have these documents scanned so that the file will be complete.

Anne Holleran
AU: 1642
Tel: (571) 272-0833
RM: Remsen, 3A14

mailbox: Remsen, 3C18